Author Index

Arad, O., see Ardeshir, F., 113
Ardeshir, F., Howard, R.F., Viriyakosol, S., Arad, O. and Reese, R.T.
Cross-reactive asparagine-rich determinants shared between several blood-stage antigens of *Plasmodium falciparum* and the circumsporozoite protein, 113

Bacic, A., see Elhay, M., 255
Bastien, P., Blaineau, C., Taminh, M., Rioux, J.A., Roizès, G. and Pagès, M.
Interclonal variations in molecular karyotype in *Leishmania infantum* imply a 'mosaic' strain structure, 53
Bernard, P., see Campos, A., 87
Beverley, S.M., see Lopes, A.H. de C.S., 151
Biggs, B.A., see Shirley, M.W., 137
Bishop, R.P., see Morzaria, S.P., 203
Blaineau, C., see Bastien, P., 53
Blum, J.J., see LeFurgey, A., 77
Brahm, J., see Zanner, M.A., 269
Brown, D., see Glascodine, J., 105
Brown, G.V., see Shirley, M.W., 137
Brown, H.J., see Shirley, M.W., 137
Buckwitz, D., Jacobasch, G. and Gerth, C.
Phosphofructokinase from *Plasmodium berghei*: a kinetic model of allosteric regulation, 225

Campos, A., Bernard, P., Fauconnier, A., Landa, A., Gómez, E., Hernández, R., Willms, K. and Laclette, J.P.
Cloning and sequencing of two actin genes from *Taenia solium* (Cestoda), 87
Cesari, I.M., see Pujol, F.H., 43
Chulay, J.D., see Orlandi, P.A., 285
Clarke, M.W., see Siddiqui, A.A., 95
Colli, W., see Vieira de Arruda, M., 35
Coulson, R.M.R. and Smith, D.F.
Isolation of genes showing increased or unique expression in the infective promastigotes of *Leishmania major*, 63
Cross, G.A.M., see Ip, H.S., 163

Davern, K.M., see Henkle, K.J., 23
Donelson, J.E., see Erondu, N.E., 213
Duszenko, M., see Hamm, B., 13
Díaz, C., see González, A., 233

Elhay, M., Kelleher, M., Bacic, A., McConville, M.J., Tolson, D.L., Pearson, T.W. and Handman, E.
Lipophosphoglycan expression and virulence in Ricin-resistant variants of *Leishmania major*, 255
Erondu, N.E. and Donelson, J.E.
Characterization of a myosin-like antigen from *Onchocerca volvulus*, 213

Fauconnier, A., see Campos, A., 87
Forsyth, K.P., see Shirley, M.W., 137

Galey, W.R., see Zanner, M.A., 269
Gerth, C., see Buckwitz, D., 225
Gibson, W.C., see Masiga, D.K., 279
Glascodine, J., Tetley, L., Tait, A., Brown, D. and Shiels, B.
Developmental expression of a *Theileria annulata* merozoite surface antigen, 105
González, A., Rosales, J.L., Ley, V. and Díaz, C.
Cloning and characterization of a gene coding for a protein (KAP) associated with the kinetoplast of epimastigotes and amastigotes of *Trypanosoma cruzi*, 233
Gómez, E., see Campos, A., 87

Hamm, B., Schindler, A., Mencke, D. and Duszenko, M.
Differentiation of *Trypanosoma brucei* bloodstream trypomastigotes from long slender to short stumpy-like forms in axenic culture, 13
Handman, E., see Elhay, M., 255
Haynes, J.D., see Orlandi, P.A., 285
Henkle, K.J., Davern, K.M., Wright, M.D., Ramos, A.J. and Mitchell, G.F.
Comparison of the cloned genes of the 26- and 28-kilodalton glutathione *S*-transferases of *Schistosoma japonicum* and *Schistosoma mansoni*, 23
Hernández, R., see Campos, A., 87
Howard, R.F., see Ardeshir, F., 113
Howard, R.J., see Sherwood, J.A., 173
Hundt, E., see Knapp, B., 1

Ingram, P., see LeFurgey, A., 77
Iovannisci, D., see Lopes, A.H. de C.S., 151
Ip, H.S., Orn, A., Russell, D.G. and Cross, G.A.M.
Leishmania mexicana mexicana gp63 is a site-specific neutral endopeptidase, 163
Isibasi, A., see Vargas, M.A., 193

Jacobasch, G., see Buckwitz, D., 225

Kelleher, M., see Elhay, M., 255
Kemp, D.J., see Shirley, M.W., 137
Knapp, B., Hundt, E. and Küpper, H.A.
Plasmodium falciparum aldolase: gene structure and localization, 1
Kumate, J., see Vargas, M.A., 193
Küpper, H.A., see Knapp, B., 1

Laclette, J.P., see Campos, A., 87
Landa, A., see Campos, A., 87
Lawler, J.W., see Sherwood, J.A., 173
LeFurgey, A., Ingram, P. and Blum, J.J.
Elemental composition of polyphosphate-containing vacuoles and cytoplasm of *Leishmania major*, 77
Ley, V., see González, A., 233
Liprandi, F., see Pujol, F.H., 43
Lopes, A.H. De C.S., Iovannisci, D., Petrillo-Peixoto, M., McMahon-Pratt, D. and Beverley, S.M.

Evolution of nuclear DNA and the occurrence of sequences related to new small chromosomal DNAs in the trypanosomatid genus *Endotrypanum*, 151
Majiwa, P.A.O. and Otieno, L.H.
Recombinant DNA probes reveal simultaneous infection of tsetse flies with different trypanosome species, 245
Masiga, D.K. and Gibson, W.C.
Specific probes for *Trypanosoma (Trypanozoon) evansi* based on kinetoplast DNA minicircles, 279
McConville, M.J., see Elhay, M., 255
McMahon-Pratt, D., see Lopes, A.H. de C.S., 151
McMurray, D.N., see Tetzlaff, C.L., 183
Mencke, D., see Hamm, B., 13
Mertens, E.
Occurrence of pyrophosphate:fructose 6-phosphate 1-phosphotransferase in *Giardia lamblia* trophozoites (*Short Communication*), 147
Miller, L.H., see Sherwood, J.A., 173
Mitchell, G.F., see Henkle, K.J., 23
Morzaria, S.P., Spooner, P.R., Bishop, R.P., Musoke, A.J. and Young, J.R.
*Sfi*I and *Not*I polymorphisms in *Theileria* stocks detected by pulsed field gel electrophoresis, 203
Musoke, A.J., see Morzaria, S.P., 203

Orlandi, P.A., Sim, B.K.L., Chulay, J.D. and Haynes, J.D.
Characterization of the 175-kilodalton erythrocyte binding antigen of *Plasmodium falciparum*, 285
Orn, A., see Ip, H.S., 163
Orozco, E., see Vargas, M.A., 193
Otieno, L.H., see Majiwa, P.A.O., 245

Pagès, M., see Bastien, P., 53
Pearson, T.W., see Elhay, M., 255
Petrillo-Peixoto, M., see Lopes, A.H. de C.S., 151
Podesta, R.B., see Siddiqui, A.A., 95
Poole, C.B. and Williams, S.A.
A rapid DNA assay for the species-specific detection and quantification of *Brugia* in blood samples , 129
Pujol, F.H., Liprandi, F., Rodríguez, M. and Cesari, I.M.
Production of a mouse monoclonal antibody against the alkaline phosphatase of adult *Schistosoma mansoni*, 43

Ramos, A.J., see Henkle, K.J., 23
Reese, R.T., see Ardeshir, F., 113
Reinach, F.C., see Vieira de Arruda, M.V., 35
Rice-Ficht, A.C., see Tetzlaff, C.L., 183
Rioux, J.A., see Bastien, P., 53
Roberts, D.D., see Sherwood, J.A., 173
Rodrlguez, M., see Pujol, F.H., 43
Roizès, G., see Bastien, P., 53
Rosales, J.L., see González, A., 233
Russell, D.G., see Ip, H.S., 163

Scaletti, J.V., see Zanner, M.A., 269
Schindler, A., see Hamm, B., 13
Sherwood, J.A., Roberts, D.D., Spitalnik, S.L., Lawler, J.W., Miller, L.H. and Howard, R.J.
Falciparum malaria parasitized erythrocytes bind to a carboxy-terminal thrombospondin fragment and not the amino-terminal heparin-binding region, 173
Shiels, B., see Glascodine, J., 105
Shirley, M.W., Biggs, B.A., Forsyth, K.P., Brown, H.J., Thompson, J.K., Brown, G.V. and Kemp, D.J.
Chromosome 9 from independent clones and isolates of *Plasmodium falciparum* undergoes subtelomeric deletions with similar breakpoints in vitro, 137
Siddiqui, A.A., Zhou, Y., Podesta, R.B. and Clarke, M.W.
Isolation of a highly enriched plasma membrane fraction of *Trypanosoma brucei* by free-flow electrophoresis, 95
Sim, B.K.L., see Orlandi, P.A., 285
Smith, D.F., see Coulson, R.M.R., 63
Spitalnik, S.L., see Sherwood, J.A., 173
Spooner, P.R., see Morzaria, S.P., 203

Tait, A., see Glascodine, J., 105
Taminh, M., see Bastien, P., 53
Tetley, L., see Glascodine, J., 105
Tetzlaff, C.L., McMurray, D.N. and Rice-Ficht, A.C.
Isolation and characterization of a gene associated with a virulent strain of *Babesia microti*, 183
Thompson, J.K., see Shirley, M.W., 137
Tolson, D.L., see Elhay, M., 255

Vander Jagt, D.L., see Zanner, M.A., 269
Vargas, M.A., Isibasi, A., Kumate, J. and Orozco, E.
Non-pathogenic *Entamoeba histolytica*: functional and biochemical characterization of a monoxenic strain, 193
Vieira de Arruda, M., Reinach, F.C., Colli, W. and Zingales, B.
Sequence of the 24Sα ribosomal RNA gene and characterization of a corresponding pseudogene from *Trypanosoma cruzi*, 35
Viriyakosol, S., see Ardeshir, F., 113

Williams, S.A., see Poole, C.B., 129
Willms, K., see Campos, A., 87
Wright, M.D., see Henkle, K.J., 23

Young, J.R., see Morzaria, S.P., 203

Zanner, M.A., Galey, W.R., Scaletti, J.V., Brahm, J. and Vander Jagt, D.L.
Water and urea transport in human erythrocytes infected with the malaria parasite *Plasmodium falciparum*, 269
Zhou, Y., see Siddiqui, A.A., 95
Zingales, B., see Vieira de Arruda, M., 35

Subject Index

Adherence, 173
Adhesin, 112-kDa, 193
ADP, 225
Affinity chromatography, 43
Aldolase, 1
Alkaline phosphatase, 43
Antibody selection, 285
Asparagine-rich protein, 113
Axenic cultivation, 13

Babesia microti, 183
Bacteriophage λgt11, 183
Biogeography, 151
Brugia malayi, 129
Brugia pahangi, 129

Cestode actin DNA sequencing, 87
CHEF, 203
Chromosomal rearrangement, 53
Chromosome, 203
Chromosome 9, 137
Circulating antigen, 43
Circumsporozoite protein, 113
Cross-reactivity, 113

Differential cDNA library screen, 63
Differentiation, 13
Diploidy, 53
cDNA, 113
cDNA, 87
DNA probe, 129, 279
DNA probes, 245
DNA sequence, 233

Endopeptidase, 163
Entamoeba histolytica, 193
Epidemiology, 245
Erythrocyte binding antigens, 285
Erythrocyte invasion, 285

FIGE, 203
Free-flow electrophoresis, 95

Gene cloning, 87
Gene expression, 63
Gene structure, 1
Giardia lamblia, 147
Glutathione *S*-transferase isoenzyme, 23
Glycolipid, 255
Glycosylation variants, 255

Heat shock, 105
Heat-shock protein 70-related gene, 63
Hemotrophic, 183
Homology, 23

Immunoblot, 213
Immunofluorescence, 233
Immunofluorescence microscopy, 213
Immunogenicity, 23
Infected erythrocyte, 173
Infective promastigote, 63

Kinetic model, 225
Kinetoplast DNA, 279
Kinetoplast protein, 233

Leishmania, 77, 163
Leishmania infantum, 53
Leishmania major, 63, 255
Life cycle, 13
Lipophosphoglycan, 255
Lymphatic filariasis, 129

Magnesium, 77
Major neutral protease, 193
Malaria, 173, 285
Marker enzymes, 95
Merozoite surface polypeptide, 105
Mice, 23
Mitochondrial DNA, 279
Molecular evolution, 151
Monoclonal antibody, 43, 105, 173
Monod model, 225
Monoxenic culture, 193
Mosaic strain, 53
Multigene family, 63
Mung bean, 183
Myosin-like antigen, 213

Nuclease, 183

Onchocerca volvulus, 213

Phosphoenolpyruvate, 225
Phosphofructokinase, 147, 225
Plasma membrane isolation, 95
Plasmodium berghei, 225
Plasmodium falciparum, 1, 113, 137, 173, 269, 285
Polymerase chain reaction, 233
Polymorphism, 203
Polyphosphate, 77
Protease, 163
Proteolytic fragment, 173
Protozoan, 183
Protozoan parasite, 105
Pseudogene, 35
Pulsed-field electrophoresis, 151
Pyrophosphate, inorganic, 147

Recombinant DNA, 183
Recombinant protein, 213
Red cell membrane, 269
Repeated DNA, 129
Ribosomal RNA, 35
Ricinus communis agglutinin II, 255

Schistosoma mansoni, 43
Schistosomiasis, 23
Sequence, 23
Size polymorphism, 137
Sloths, 151
Species identification, 129
Stage development, 105
Subtelomeric deletion, 137
Surface antigen, 163
Synthetic peptide, 113

Taenia solium, 87
Theileria mutans, 203
Theileria parva, 203
Thrombospondin, 173
Trypanosoma, 245
Trypanosoma brucei, 13, 95
Trypanosoma cruzi, 35, 233
Trypanosoma evansi, 279
Tsetse infection, 245

Urea permeability, 269

Vacuole, 77
Virus-like particle, 151

Water permeability, 269

X-ray microanalysis, 77

Zinc, 77
Zymodeme, 193